

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/531652	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S2	42	topic near10 (division divid\$3 separat\$3) near10 (portion piece part block) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S3	10	(sub adj topic) near10 (portion) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S4	7	(topic) near10 (portion) near10 (sequential sequenc \$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S5	38	(divid\$3 division) same (sub adj topic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S6	10	link\$3 near5 (sub adj topic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S7	4	("5832472" "6442274" "6539387" "6633316").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59

S8	11	("6633316" "6539387" "6442574" "6243071" "6154750" "5991751" "5832472" "5721910" "5708806" "20020198885" "20020032672").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S9	2	S8 and ((sub near topic\$3) subtopic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S10	3	topic near10 (divid\$3 division break\$3 broke\$2) near10 ((sub near topic\$3) subtopic) near10 (link\$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S11	3	(divid\$3 division break\$3 broke\$2) near10 ((sub near topic\$3) subtopic) near10 (link\$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S12	50	(divid\$3 division break\$3 broke\$2) same ((sub near topic\$3) subtopic) same (link \$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S13	13	(divid\$3 division break\$3 broke\$2) with ((sub near topic\$3) subtopic) with (link \$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S14	6587	(divid\$3 division break\$3 broke\$2) with ((sub near (topic\$3) article categor\$3) subtopic) with (link\$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017") not S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59

S15	11	(divid\$3 division break\$3 broke\$2) with ((sub near (topic\$3 article categor\$3)) subtopic) with (link\$3 relat\$3 relationship connect\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017") not S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S16	2	(hyper adj link\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S17	4	(hyperlink\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S18	46	(hierarch\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S19	7	(hypertext near link\$3) with ((sub adj topic) subtopic) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S20	7	(hypertext near link\$3) with ((sub adj (portion topic)) subtopic subportion) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S21	10	(hypertext near link\$3) same ((sub adj (portion topic)) subtopic subportion) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S22	32	(hyperlink\$3 (hyper near (text link\$3))) near10 ((explanat\$3 explain\$3) near (note text sentence definition))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59

S23	17	(hyperlink\$3 (hyper near (text link\$3))) near10 ((explanat\$3 explain\$3) near (note text sentence definition)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S24	16	(hyperlink\$3 (hyper near link \$3)) near10 ((explanat\$3 explain\$3) near (note text sentence definition)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S25	16	hyperlink\$3 near10 explanatory near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S26	72	(hyperlink\$3 (hyper adj link \$3)) with (explanat\$3 explain \$3 descriptive) with (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017") not S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S27	183	(hyperlink\$3 (hyper adj link \$3)) same (explanat\$3 explain\$3) same (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S28	37	(hyperlink\$3 (hyper adj link \$3)) near10 (explanat\$3 explain\$3) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S29	26	(hyperlink\$3 (hyper adj link \$3)) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59

S30	2	(explanatory adj (note text window)) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S31	5	(explanatory) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S32	53	(explanat\$3 explain\$3) near10 (overview summary) near10 (note text window) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S33	674	(display\$3 show\$3) near10 (overview summary) near10 (description) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S34	121	(display\$3 show\$3) near10 (overview\$3 summar\$5) near10 topic and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S35	719	(record\$3) near5 sequence near5 access and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S36	8	(record\$3) near5 sequence near5 access near5 select\$3 and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S37	30	(record\$3) near5 sequence near5 access near5 user and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59

S38	4	(record\$3) near5 sequence near5 access near5 order and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S39	21	(record\$3) with (sequence near5 access) with order and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S40	617	(sequence near5 access) near10 order and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S41	9	(record\$3) near5 sequence near5 access near5 (display \$3 show\$3) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S42	100	(display\$3) near10 (access\$3 adj order) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S43	689	hyperlink\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S44	21	hyperlink\$3 near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S45	133	display\$3 near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59

S46	0	display\$3 near5 (title metadata (meta adj (data information))) near5 access \$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S47	34	display\$3 near5 (information) near5 access\$3 near5 history and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S48	20	(record\$3 near5 hyperlink\$3) and (access\$3 near5 history) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S49	23	(sav\$3 near5 hyperlink\$3) and (access\$3 near5 history) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S50	2	("5991751" "5721910").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S51	1	link\$3 near5 (database (data adj base)) near5 (subportion (sub adj portion)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S52	1	(database (data adj base)) same link\$3 near5 (subportion (sub adj portion)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S53	3	(database (data adj base)) and link\$3 near5 (subportion (sub adj portion)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59

S54	36	(database (data adj base)) near10 (subportion (sub adj portion)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S55	4	("5832472" "6442274" "6539387" "6633316").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S56	141	(record\$3 sav\$3) near5 address near5 (link\$3 hyperlink\$3 (hyper adj link \$3)) same (database (data adj base)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S57	0	S56 and (hyperlink\$3 link\$3 (hyper adj link\$3)) near5 navigat\$3 same (portion chapter subchapter subportion (sub adj (chapter portion)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S58	342	(hyperlink\$3 link\$3 (hyper adj link\$3)) near5 navigat\$3 same (portion chapter subchapter subportion (sub adj (chapter portion))) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S59	932	(record\$3 sav\$3) near5 address near5 (link\$3 hyperlink\$3 (hyper adj link \$3)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S60	2	S58 and S59	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S61	17317	address near5 (link\$3 hyperlink\$3 (hyper adj link \$3)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59

S62	61	S58 and S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S63	54	(hyperlink\$3 link\$3 (hyper adj link\$3)) near5 navigat\$3 same (portion chapter subchapter subportion (sub adj (chapter portion))) same (database (data adj base)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S64	3	(hyperlink\$3 link\$3 (hyper adj link\$3)) same (portion chapter subchapter subportion (sub adj (chapter portion))) same (navigat\$3) near5 backward and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S65	76	(hyperlink\$3 link\$3 (hyper adj link\$3)) same (navigat \$3) near5 backward and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S66	415888	(hyperlink\$3 link\$3 (hyper adj link\$3)) same (portion chapter subchapter subportion (sub adj (chapter portion))) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S67	45	S65 and S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S68	1875	(hyperlink\$3 (hyper adj link \$3)) same (portion chapter subchapter subportion (sub adj (chapter portion))) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59

S69	5	S65 and S68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S70	89	(hyperlink\$3 link\$3 ((hyper page web) adj link\$3) anchor url) same (navigat\$3) near5 backward and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S71	5	S68 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S72	2845	(hyperlink\$3 (hyper adj link \$3)) same (database (data adj base)) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S73	5	S70 and S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S74	3	(hyperlink\$3 link\$3 ((hyper page web) adj link\$3) anchor url) same (navigat\$3) near5 backward same (chapter portion subchapter subportion (sub adj (chapter portion))) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59
S75	48	(hyperlink\$3 link\$3 ((hyper page web) adj link\$3) anchor url) same (navigat\$3) near5 backward and (hyperlink\$3 link\$3 ((hyper page web) adj link\$3) anchor url) same (chapter portion subchapter subportion (sub adj (chapter portion))) and (@ad<"20011017" @pd<"20011017" @rlad<"20011017")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/01/07 14:59

1/ 7/ 2010 3:14:46 PM

**C:\ Documents and Settings\ shoang\ My Documents\ EAST\ Workspaces\ son_10_531_652_case.
wsp**